From:	Ann Burdett
To:	Rieser, Shannon
Subject:	RE: Emailing: Palintest Lead sampling vial 2, Palintest Lead sampling vial 1
Date:	Tuesday, March 20, 2018 1:23:59 PM

Hi Shannon,

It sounds like they will be using a 10 gallon drum so it fits in their satellite storage cabinet.

Thank you and have a great day!
Ann

From: Rieser, Shannon [mailto:shannon.rieser@veolia.com]
Sent: Tuesday, March 20, 2018 7:30 AM
To: Ann Burdett <aburdett@csu.org>
Subject: Fwd: Emailing: Palintest Lead sampling vial 2, Palintest Lead sampling vial 1

[External Email - Be careful! DO NOT open attachments or click links from unknown senders or unexpected email.]

Hi Ann,
Just let me know.
If looks like she forgot to put you on the original email,

Regards,

Shannon K Rieser

Customer Service/Records Specialist
Industrial Business
VEOLIA NORTH AMERICA

tel
1-602-233-6882
fax
1-602-415-3030
toll free 1-
800 368 9095 x.76882
5736 W Jefferson Street / Phoenix, AZ 85043
shannon.rieser@veolia.com
www.veolianorthamerica.com

For prepaid recycling of fluorescent lamps, ballast, batteries and more,
visit **www.prepaidrecycling.com**

For packaging instructions and guidance, click to **Download Packaging Guidance**

Receive Veolia's Environmental Buzz E-Newsletter, click to **Subscribe**

---------- Forwarded message ----------
From: **Erin Zeller** <erin.zeller@veolia.com>
Date: Tue, Feb 27, 2018 at 10:15 AM
Subject: Fwd: Emailing: Palintest Lead sampling vial 2, Palintest Lead sampling vial 1
To:
Cc: shannon.rieser@veolia.com

Hi Ann - what kind of container would these vials ship in? A 5 gallon pail or 55 gallon drum? We have price per pound with a drum minimum. I'm not sure if this would count as debris or a compound so I'm checking with Operations before I send you the quote. Thanks! Erin

Sent from my iPhone

Begin forwarded message:

> **From:** "Rieser, Shannon" <shannon.rieser@veolia.com>
> **Date:** February 27, 2018 at 6:56:44 AM MST
> **To:** Erin Zeller <erin.zeller@veolia.com>
> **Subject: Fwd: FW: Emailing: Palintest Lead sampling vial 2, Palintest Lead sampling vial 1**
>
> Can you help Ann?
>
> See below
>
> Regards,
>
> Shannon K Rieser
>
> *Customer Service/Records Specialist*
> *Industrial Business*
> ***VEOLIA NORTH AMERICA***
>
> tel
> 1-602-233-6882
> fax
> 1-602-415-3030
> toll free 1-
> 800 368 9095 x.76882
> 5736 W Jefferson Street / Phoenix, AZ 85043

shannon.rieser@veolia.com
www.veolianorthamerica.com

For prepaid recycling of fluorescent lamps, ballast, batteries and more,
visit **www.prepaidrecycling.com**

For packaging instructions and guidance, click to **Download Packaging Guidance**

Receive Veolia's Environmental Buzz E-Newsletter, click to **Subscribe**

---------- Forwarded message ----------
From: **Ann Burdett** <aburdett@csu.org>
Date: Mon, Feb 26, 2018 at 4:25 PM
Subject: FW: Emailing: Palintest Lead sampling vial 2, Palintest Lead sampling vial 1
To: "Rieser, Shannon" <shannon.rieser@veolia.com>

Hi Shannon,

In your 2/16/18 e:mail response, you indicated that Veolia can take the probe in as a mercury compound material due to the nature it was used for. What they are proposing to send you is the white plastic vial in picture above that has a white sensor strip inside closed vial. Second picture is just using a pen next to vial to show small size. So that small white sensor strip inside closed vial is all there is to the "probe".

So can they collect all the white plastic vials in a drum and we can profile the drum as a mercury compound material and ship to Veolia that way? They are getting ready to generate a lot of these and need to know if they need to empty out the contents of the vial or if they can collect vials in drum and send "as is".

Thanks,
Ann

-----Original Message-----
From: Sandy Williams
Sent: Monday, February 26, 2018 10:19 AM
To: Ann Burdett <aburdett@csu.org>
Cc: Javid Saleem <jsaleem@csu.org>
Subject: Emailing: Palintest Lead sampling vial 2, Palintest Lead sampling vial 1

Hello Ann,

Here are two pictures of the sampling vial. In the first you can see the white sensor strip inside. In the second photo I propped up a pen just to give a sense of scale. Let me know if you need anything else.

Sincerely,
Sandy

Your message is ready to be sent with the following file or link attachments:

Palintest Lead sampling vial 2
Palintest Lead sampling vial 1

Note: To protect against computer viruses, e-mail programs may prevent sending or receiving certain types of file attachments. Check your e-mail security settings to determine how attachments are handled.
CONFIDENTIALITY NOTICE - This email transmission, and any documents, files or previous email messages attached to it, may contain information that is legally privileged or otherwise confidential to include customer and business information. If you are not the intended recipient, or an authorized person for the intended recipient, you are hereby notified that any disclosure, copying or distribution of this information, or any action taken in reliance on the information contained within this email, is strictly prohibited. If you have received this email message in error, please notify the sender and then delete the message (and any attachments) from your computer and/or network. Thank you.



CONFIDENTIALITY NOTICE - This email transmission, and any documents, files or previous email messages attached to it, may contain information that is legally privileged or otherwise confidential to include customer and business information. If you are not the intended recipient, or an authorized person for the intended recipient, you are hereby notified that any disclosure, copying or distribution of this information, or any action taken in reliance on the information contained within this email, is strictly prohibited. If you have received this email message in error, please notify the sender and then delete the message (and any attachments) from your computer and/or network. Thank you.